



Attorney Document No. DOCM-002/01US

PATENT

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the Commissioner for Patents, Washington, D.C. 20231 on June 19, 2001.

By: _____

Dolores McKay

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of Victor SPIVAK, et al.

Serial No.: 09/815,591

Examiner: Not Yet Assigned

Filed: March 23, 2001

Art Unit: 2182

For: **METHOD AND APPARATUS FOR GENERATING METADATA FOR A DOCUMENT**

Commissioner for Patents
Customer Service Center
Initial Patent Examination Division
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

In response to the Notice to File Corrected Application mailed on May 3, 2001, enclosed are:

- ☒ copy of the Notice to File Corrected Application Papers
- ☒ Letter to Official Draftsperson
- ☒ (8) sheets of Formal Drawings
- ☒ Postcard
- ☐ Other:

The Commissioner is hereby authorized to charge any appropriate fees under 37 C.F.R. §§1.16, 1.17, and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 03-3117.



Dated: 6-19-01

Cooley Godward LLP
ATTN: Patent Group
Five Palo Alto Square
3000 El Camino Real
Palo Alto, CA 94306-2155
Tel: (650) 843-5000
Fax: (650) 857-0663
WSG:czl

Attorney Docket No. DOCM-002/01US
Serial No. 09/815,591
Page 2

Respectfully submitted,
COOLEY GODWARD LLP

A handwritten signature in black ink, appearing to read "William S. Galliani".

By:

William S. Galliani
Reg. No. 33,885



3

Attorney Docket No. DOCM-002/01US

PATENT

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the Commissioner for Patents, Washington, D.C. 20231 on June 19, 2001.

By: Dolores McKay
Dolores McKay

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of Victor SPIVAK, et al.

Serial No.: 09/815,591 Examiner: Not Yet Assigned
Filed: March 23, 2001 Art Unit: 2182

For: **METHOD AND APPARATUS FOR GENERATING METADATA FOR A DOCUMENT**

Commissioner for Patents
OFFICIAL DRAFTSPERSON
Washington, D.C. 20231

LETTER TO OFFICIAL DRAFTSPERSON

Enclosed are eight (8) sheets of formal drawings to replace the informal drawings originally filed in this application.

Dated: 6-19-01

Respectfully submitted,
COOLEY GODWARD LLP
[Signature]

Cooley Godward LLP
ATTN: Patent Group
Five Palo Alto Square
3000 El Camino Real
Palo Alto, CA 94306-2155
Tel: (650) 843-5000
Fax: (650) 857-0663
WSG:czi

By: _____
William S. Galliani
Reg. No. 33,885



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/815,591	03/23/2001	Victor Spivak	DOCM-002/01US

23419
COOLEY GODWARD, LLP
3000 EL CAMINO REAL
5 PALO ALTO SQUARE
PALO ALTO, CA 94306

CONFIRMATION NO. 5572

FORMALITIES LETTER



OC000000006034734

Date Mailed: 05/03/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

AM

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE